

**SECTION VI - BID PROPOSAL**

**REVISED ROAD WIDENING BID SCHEDULE**  
**ADDENDUM ONE DATED MARCH 10, 2010**

**SPRING LAKE HWY (CR 541) PH 3 (SCOP)**

<b>ITEM NO.</b>	<b>DESCRIPTION</b>	<b>QTY.</b>	<b>UNIT</b>	<b>UNIT PRICE</b>	<b>AMOUNT</b>
1	MOBILIZATION	1	L.S.		
2	MAINTENANCE OF TRAFFIC (Includes Existing Sign Assembly Relocations, Removals & Stockpile)	1	L.S.		
3	STORM WATER POLLUTION PROTECTION (CSWPP) ( See Plan Sheets 30 Thru 33 ) (Includes All Silt fence. F & I and Removal)	1	L.S.		
4	AS BUILT SURVEY (Per SWFWMD As-Built Requirements)(Includes Structures, Swales, EOP, CL, TOB, TOE)	1	L.S.		
5	CLEARING & GRUBBING (Includes, Slabs, Asphalt., Conc., Lime Rock, Sod, Misc. Debris, Structures & Pipe, All Saw cutting and Dewatering )	1	L.S.		
6	EXCAVATION (EARTHWORK)	1	L.S.		
7	IMPORT FILL (Includes Unsuitable Material Replacement)	1	L.S.		
8	UNSUITABLE MATERIAL REMOVAL (OFFSITE DISPOSAL)	2,000	C.Y.		
9	MILLING (1-1/2") (EXISTING ASPHALT)	600	S.Y.		
10	MILLING (4") (EXISTING ASPHALT)	2,600	S.Y.		
11	4" ASPHALT ( OPEN GRADED MIX ) (STRESS COURSE) (415 LSB/SY) w/ TACK (4" Milling Area)	680	TN.		
12	4" LIMEROCK BASE ( LBR 100 To 98% AASHTO T-180 ) w/ PRIME (Paved Shoulder)	6,300	S.Y.		
13	13.5" LIMEROCK BASE ( LBR 100 To 98% AASHTO T-180 ) w/ PRIME	6,895	S.Y.		
14	1.25" ASPHALT ( TYPE S-III ) (SURFACE COURSE) (130 LSB/SY) w/ TACK (Paved Shoulder)	710	TN.		
15	1.25" ASPHALT ( TYPE S-III ) SURFACE COURSE (130 LBS/SY) (Road Only)	2,855	TN.		
16	1.5" OPEN-GRADED ASPHALT (155 LBS/SY) w/ TACK (Road Only)	2,625	TN.		
17	5' WIDE PAVED APRONS (16' Long Min. Driveway Width) ( w/ 1.5" TYPE S-I and 6" LR BASE - LBR 100 )	200	S.Y.		
18	TYPE 'D' FDOT INLET w/ Traffic Grate, TRAVERSABLE SLOT and CONCRETE APRON (Structures S6 & S9)	2	E.A.		
19	TYPE 'C' FDOT INLET w/ Traffic Grate and CONCRETE APRON (Structure S10)	1	E.A.		

ITEM NO.	DESCRIPTION	QTY.	UNIT	UNIT PRICE	AMOUNT
20	CONCRETE INLET TOP (H2O LOAD) (See Structure 7 for details) (Structure S7)	1	L.S.		
21	U.S. FOUNDRY No. 250 MANHOLE and RING ASSEMBLY (DA COVER) (Structure S8)	1	A.S.		
22	18" RCP	160	L.F.		
23	17"x13" ECMP	210	L.F.		
24	36" RCP	96	L.F.		
25	17"x13" FDOT MES	1	E.A.		
26	18" FDOT MES	8	E.A.		
27	18" MES CONCRETE (Structure 3)	1	E.A.		
28	DOUBLE 8" PERFORATED PVC UNDERDRAINS (Wrapped In Filter Fabric) (#57 STONE 24"High x 26" Wide Trench) (Includes Fittings)	780	L.F.		
29	4" PERFORATED PVC UNDERDRAINS (Wrapped In Filter Fabric) (#57 STONE 20"x20" Trench) (Includes Fittings)	400	L.F.		
30	4"x24"x24" MES Concrete Pad (3000 PSI) and 4" Cleanouts for Perforated 4" PVC with CAPS	7	EA		
31	OPEN CUTS (Asphalt and Lime Rock)	200	S.Y.		
32	DRIVEWAY RECONSTRUCTION (3000 PSI w/ FIBERMESH) (16' Wide Min)	125	S.Y.		
33	#57 STONE (3" Deep) (Driveways)	325	S.Y.		
34	CONCRETE COLLAR/JACKET ( 3000 PSI w/ Fiber Mesh )	2	E.A.		
35	4" (5'-6' Wide) CONCRETE FLUME (3000 PSI w/ Fiber Mesh)	400	S.Y.		
36	6" (5'-6' Wide) CONCRETE FLUME (3000 PSI w/ Fiber Mesh)	30	S.Y.		
37	4" (10' Wide) CONCRETE FLUME (3000 PSI w/ Fiber Mesh)	225	S.Y.		
38	SOD ( FLORITAM ) ( Includes Watering )	4,500	S.Y.		
39	SOD ( BAHIA ) ( Includes Watering )	48,500	S.Y.		
40	TEMPORARY 4-STRAND BARB-WIRE FENCE	1,205	L.F.		
41	PERMANENT 4' HIGH HOG-WIRE FENCE	650	L.F.		
42	PERMANENT 4' HIGH HOG-WIRE FENCE w/ 2 STRAND BARB-WIRE On Top	260	L.F.		
43	PERMANENT 4' HIGH, 5 BOARD FENCE, Painted Black (Match Existing)	305	L.F.		
44	6" WHITE TRAFFIC STRIPE ( Temporary Paint )	42,534	L.F.		
45	6" YELLOW TRAFFIC STRIPE ( Temporary Paint )	2,946	L.F.		
46	6" DBL. YELLOW TRAFFIC STRIPE ( Temporary Paint )	21,231	L.F.		

<b>ITEM NO.</b>	<b>DESCRIPTION</b>	<b>QTY.</b>	<b>UNIT</b>	<b>UNIT PRICE</b>	<b>AMOUNT</b>
47	8" WHITE TRAFFIC STRIPE ( Temporary Paint )	480	L.F.		
48	8" YELLOW TRAFFIC STRIPE (Thermoplastic)	69	L.F.		
49	18" WHITE TRAFFIC STRIPE (Temporary Paint)	1,614	L.F.		
50	18" YELLOW TRAFFIC STRIPE ( Temporary ) ( Paint )	324	L.F.		
51	24" WHITE TRAFFIC STRIPE ( Temporary ) ( Paint )	180	L.F.		
52	DIRECTIONAL ARROWS ( Temporary ) ( Paint )	18	E.A.		
53	6" WHITE TRAFFIC STRIPE ( Thermoplastic )	14,178	L.F.		
54	6" YELLOW TRAFFIC STRIPE ( Thermoplastic )	982	L.F.		
55	6" DBL. YELLOW TRAFFIC STRIPE ( Thermoplastic )	7,077	L.F.		
56	8" WHITE TRAFFIC STRIPE (Thermoplastic)	160	L.F.		
57	8" YELLOW TRAFFIC STRIPE (Thermoplastic)	23	L.F.		
58	18" WHITE TRAFFIC STRIPE (Thermoplastic)	574	L.F.		
59	18" YELLOW TRAFFIC STRIPE ( Thermoplastic )	72	L.F.		
60	24" WHITE TRAFFIC STRIPE ( Thermoplastic )	60	L.F.		
61	DIRECTIONAL ARROWS (Thermoplastic)	6	E.A.		
62	RPM (F & I)	515	E.A.		
63	ERADICATION OF PAVEMENT LINES, MESSAGES, ETC.	800	L.F.		
64	ALUMINUM MAILBOX ASSEMBLY INSTALLATIONS (F & I) (New White Mailbox, White Stand and Black Numbers)	30	E.A.		
65	MAILBOX ASSEMBLY RELOCATIONS (Relocate and Reinstall Twice)	1	L.S.		
66	SIGN ASSEMBLY RELOCATIONS (Relocate and Reinstall Twice)	1	L.S.		
67	R1-1 STOP SIGN ASSEMBLY w/ FDOT Break Away Assembly	1	E.A.		
68	W5-1 ROAD NARROWS SIGN ASSEMBLY (36x36)	1	E.A.		
69	OAK TREE RELOCATIONS (Winter Months Only) (See Peterson Easement)	10	E.A.		
70	CONFEDERATE JASMINE (One Gallon) (Includes Water and Fertilizer)	20	E.A.		
<b>BASE BID SUB TOTALS</b>					<b>\$</b>

**SECTION VI – BID PROPOSAL**

**REVISED ROAD WIDENING BID SCHEDULE**  
**ADDENDUM ONE DATED MARCH 10, 2010**

**SPRING LAKE HWY (CR 541) PH 3 (SCOP)**

**ALTERNATE BID ITEMS**

<b>ITEM NO.</b>	<b>DESCRIPTION</b>	<b>QTY.</b>	<b>UNIT</b>	<b>UNIT PRICE</b>	<b>AMOUNT</b>
A1	PAVED SHOULDER WIDENING OPEN-GRADED MIX ( 4" THICK ) w/ TACK (SPRING LAKE)	6,300	S.Y.		
A2	ROAD WIDENING OPEN-GRADED MIX ( 6" THICK ) w/ TACK (SPRING LAKE)	6,450	S.Y.		
A3	FULL DEPTH PAVEMENT & BASE REPLACEMENT ( Includes 13.5" Lime Rock - 6" Lifts and 4" Open Graded Mix ) (SPRING LAKE)	2,600	S.Y.		
A4	CLEARING & GRUBBING ( Includes SURVEY STAKE OUT) (MOUNTAIN LAKE REALIGNMENT)	1	L.S.		
A5	1.5" ASPHALT ( TYPE S-III ) (SURFACE COURSE) (155 LSB/SY) w/ TACK (MOUNTAIN LAKE REALIGNMENT)	575	T.N.		
A6	13.5" LIME ROCK BASE ( LBR 100 To 98% AASHTO T-180) w/ PRIME (MOUNTAIN LAKE REALIGNMENT)	725	S.Y.		
A7	IMPORT FILL MATERIAL (MOUNTAIN LAKE REALIGNMENT)	1390	C.Y.		
A8	TEMPORARY 4 STRAND BARB WIRE FENCE (MOUNTAIN LAKE REALIGNMENT)	650	L.F.		
A9	PERMANENT 4' HIGH, 4 BOARD WOOD FENCE w/ 2 STRAND BARB WIRE (Includes Gate Relocation) (MOUNTAIN LAKE REALIGNMENT)	650	L.F.		
A10	SILT FENCE (MOUNTAIN LAKE REALIGNMENT)	400	L.F.		
A11	SOD, BAHIA (MOUNTAIN LAKE REALIGNMENT)	3400	S.Y.		
A12	MAINTENANCE OF TRAFFIC (MOUNTAIN LAKE REALIGNMENT)	1	L.S.		
A13	FDOT TYPE 'C' INLET w/ TRAFFIC GRATE (MOUNTAIN LAKE REALIGNMENT)	1	E.A.		

<b>ITEM NO.</b>	<b>DESCRIPTION</b>	<b>QTY.</b>	<b>UNIT</b>	<b>UNIT PRICE</b>	<b>AMOUNT</b>
A14	18" RCP (MOUNTAIN LAKE REALIGNMENT)	1	E.A.		
A15	18" MES (MOUNTAIN LAKE REALIGNMENT)	1	E.A.		
A16	R1-1 STOP SIGN (MOUNTAIN LAKE REALIGNMENT)	1	E.A.		
A17	TEMPORARY STRIPING (MOUNTAIN LAKE REALIGNMENT)	1	L.S.		
A18	PERMANENT THERMOPLASTIC STRIPING (MOUNTAIN LAKE REALIGNMENT)	1	L.S.		
A19	AS-BUILT SURVEY (MOUNTAIN LAKE REALIGNMENT)(Per SWFWMD As-Built Requirements)(Includes Structures, Swales, EOP, CL, TOB, TOE)	1	L.S.		
<b>ALTERNATE BID TOTAL</b>					<b>\$</b>